

PE Plastic Grinder Disc Introduction




Integral Grinding Disc



Split Grinding Disc

PE Plastic Grinder Disc Content Composition

The diameter of the PE PP grinding discs ranges from 400-800 mm, PE grinding discs made of D2 material, hardness (HRC) 60-61, and the material to be crushed is introduced through the center of a vertically fixed disc, Which is mounted concentrically with an identical high-speed rotating disc. Centrifugal force carries the material through the grinding area and the resulting powder is collected by a blower and cyclone system.



PE grinding discs made of D2 material, hardness (HRC) 60-61, High precision machining, strong wear resistance, service life is twice as long as ordinary grinding discs.

Grinding Disc Features


The material is hard, using DC53 material, sharp and not easy to be worn bad, the service life is doubled compared to ordinary.

Whether split or whole, can be customized according to individual needs corresponding size, personalized.

Grinding different materials is simple to replace, easy to start, easy maintenance and cleaning.

The grinding gap is easy to adjust and can be fine-tuned using only a plug gauge and adjusting bolt.

Combined heat treatment: advanced quenching and carburising heat treatment.



FAQ

1.Is Maoyue a Manufacturer?

MAOYUE, founded in changzhou, china in 1990, is committed to serving the global plastic processing industry, focusing on the research and development and manufacturing of crushing recycling equipment. As a family-owned enterprise specializing in crushing and milling technology, our goal is always to make our customers a significant success. Through sustainable and stable technologies and products, MAOYUE has become the preferred source manufacturing supplier for crushing mill and the ideal partner for many customers! OEM projects, always maintaining a leading position in the market.

2.What is the production capacity?

We manufacture products with a yield of 100-1000 kg.

3.How to make a payment?

When we have a clear understanding of the customer's needs, we will recommend suitable products for them, and we also support customization; after that, we will send quotations and contracts, and arrange shipment. Customers can pay via TT bank transfer.

4.How to delivery?

We will arrange FOB, CFR, CIF, EXW and other shipping methods according to customers' needs.

5.How long will it take to receive the goods?

Depending on the customer's shipping address, it usually takes 15-45 business days to ship to the destination.

6.Is there any pre-after sale service?

Yes, we have after-sales service. According to the customer's needs, we will guide on line or arrange the technician to install and repair, so as to ensure that the product can be operated normally.